


**AUTOMOTIVE
WHEEL BEARINGS**

VKE



Wheel Bearings

Our company's DAC series auto wheel bearings are double row angular contact ball bearings incorporating with one integral outer ring and two separate inner rings, which are available either with seals or with - out seals.



APPROPRIATE INTERNAL AXIAL CLEARANCE

Since the bearing is designed to have the appropriate internal axial clearance, there is no need for pre-load adjustment (dimensional adjustment for spacers), which is necessary for singly row bearing assembly.

GREASING

An appropriate amount of high-grade grease (excellent for heat 130°C and water resistant) is injected in the bearings.



SUPERIOR SEALING

Sealed type bearings are mud-proof, dust-proof, and leakproof (grease), thereby shaft seals are unnecessary to use further.


UPGRADING RELIABILITY

High refined bearing steel can be used for the bearing to extend its service life.


Double Row Angular Contact Ball Bearing




Seal Type A




Seal Type B




Seal Type C



Seal Type D





Seal Type E




Seal Type S

| Bearings No | Main Dimension (mm) | | | | Weight (kgs) | Seal | Compatible Vehicles |
|-----------------|---------------------|----|------|------|--------------|------|--------------------------|
| | d | D | B | C | | | |
| DACI2S0012 | 12 | 28 | 12 | 12 | 0.03 | | |
| DACI24000183 | 12 | 40 | 18.3 | 18.3 | 0.11 | | |
| DAC20420030/29 | 20 | 42 | 30 | 29 | 0.18 | | |
| DAC20420030/29 | 20 | 42 | 30 | 29 | 0.18 | C | Mercedes Benz |
| DAC25520137 | 25 | 52 | 37 | 37 | 0.31 | C | |
| DAC205000206 | 20 | 50 | 20.6 | 20.6 | 0.17 | D | Fiat i¼œSeat |
| DAC255200206 | 25 | 52 | 20.6 | 20.6 | 0.19 | A | Fiat,Seat, |
| DAC25520032 | 25 | 52 | 32 | 20.6 | 0.229 | | |
| DAC25520037 | 25 | 52 | 37 | 37 | 0.31 | C | NISSAN PLATINA, |
| DAC25520040 | 25 | 52 | 40 | 40 | 0.35 | C | POLO |
| DAC25520042 | 25 | 52 | 42 | 42 | 0.36 | C | ISUZU |
| DAC25520043 | 25 | 52 | 43 | 43 | 0.36 | C | Renault,Peugeot,Citroen |
| DAC25520045/43 | 25 | 52 | 45 | 43 | 0.35 | C | |
| DAC25550043 | 25 | 55 | 43 | 43 | 0.41 | C | Renault |
| DAC25550045 | 25 | 55 | 45 | 45 | 0.46 | C | RENAULT CLIO (05-10), |
| DAC255600206/29 | 25 | 56 | 20.6 | 29 | 0.28 | A | Fiat |
| DAC25560032 | 25 | 56 | 32 | 32 | 0.34 | E | Citroen |
| DAC25600029/206 | 25 | 60 | 29 | 20.6 | 0.33 | A | Fiat |
| DAC25600045 | 25 | 60 | 45 | 45 | 0.33 | | |
| DAC25620028/17 | 25 | 62 | 25 | 17 | 0.19 | D | |
| DAC25620048 | 25 | 62 | 48 | 48 | 0.33 | | |
| DAC25720043 | 25 | 72 | 43 | 43 | 0.88 | C | |
| DAC27520045/43 | 27 | 52 | 45 | 43 | 0.35 | C | NISSAN TSURU II (88-91), |
| DAC27520050 | 27 | 52 | 50 | 50 | 0.38 | C | |
| DAC27530043 | 27 | 53 | 43 | 43 | 0.5 | | Citroen,CHEVROLET |
| DAC27600050 | 27 | 60 | 50 | 50 | 0.56 | C | Nissan |
| DAC28580042 | 28 | 58 | 42 | 42 | 0.47 | C | |
| DAC28580044 | 28 | 58 | 44 | 44 | 0.47 | | |
| DAC28590038/28 | 28 | 59 | 38 | 28 | 0.4 | | |
| DAC28610042 | 28 | 61 | 42 | 42 | 0.56 | D | Toyotai¼œ |
| DAC29530037 | 29 | 53 | 37 | 37 | 0.35 | C | FORD FIESTA (01-10), |
| DAC30540024 | 30 | 54 | 24 | 24 | 0.201 | | |
| DAC30550026 | 30 | 55 | 26 | 26 | 0.32 | A | |
| DAC30550032 | 30 | 55 | 32 | 32 | 0.29 | | |
| DAC30580042 | 30 | 58 | 42 | 42 | 0.4 | C | |


Double Row Angular Contact Ball Bearing




Seal Type A




Seal Type B




Seal Type C



Seal Type D





Seal Type E




Seal Type S

| Bearings No | Main Dimension (mm) | | | | Weight (kgs) | Sea1 | Compatible Vehicles |
|----------------|---------------------|-------|------|------|--------------|------|--------------------------------|
| | d | D | B | C | | | |
| DAC30600037 | 30 | 60 | 37 | 37 | 0.42 | C | Fiat,Lada,lancia,seat,Volvo |
| DAC30600043/37 | 30 | 60 | 43 | 37 | 0.12 | E | |
| DAC30600337 | 30 | 60.03 | 37 | 37 | 0.42 | C | Fiat131-147,Lada,lancia, seat, |
| DAC34620037 | 34 | 62 | 37 | 37 | 0.41 | C | |
| DAC30620038 | 30 | 62 | 38 | 38 | 0.52 | | TOYOTA AVANZA 1.5L |
| DAC30630042 | 30 | 63 | 42 | 42 | 0.57 | A | TOYOTA 1/4 CE CAMRY- |
| DAC30630342 | 30 | 63.03 | 42 | 42 | 0.56 | A | TOYOTA CAMRY- |
| DAC30640042 | 30 | 64 | 42 | 42 | 0.49 | C | TOYOTA,SUZUKI |
| DAC30650021 | 30 | 65 | 21 | 21 | 0.27 | A | |
| DAC306500264 | 30 | 64 | 26.4 | 26.4 | 0.36 | | |
| DAC30670024 | 30 | 67 | 24 | 24 | 0.34 | C | Ford Taurus |
| DAC30680045 | 30 | 68 | 45 | 45 | 0.73 | E | |
| DAC32700038 | 32 | 70 | 38 | 38 | 0.62 | E | |
| DAC32720034 | 32 | 72 | 34 | 34 | 0.6 | B | |
| DAC32720045 | 32 | 72 | 45 | 45 | 0.6 | D | TOYOTA |
| DAC32720345 | 32 | 72.03 | 45 | 45 | 0.6 | D | |
| DAC32730054 | 32 | 73 | 54 | 54 | 0.98 | B | |
| DAC34620037 | 34 | 62 | 37 | | | C | Audi,Volkswagen |
| DAC34640034 | 34 | 64 | 34 | 34 | 0.43 | D | Honda JAZZAA1.2 B4-86 |
| DAC34640037 | 34 | 64 | 37 | 37 | 0.47 | B | Lada,GM. SPARK (11>), |
| DAC34660037 | 34 | 66 | 37 | 37 | 0.5 | C | GM CHEVY (TODOS), (94- |
| DAC34670037 | 34 | 67 | 37 | 37 | 0.44 | C | |
| DAC34680037 | 34 | 68 | 38 | 37 | 0.55 | | |
| DAC34740037 | 34 | 74 | 37 | 37 | | | |
| DAC34740040 | 34 | 74 | 40 | 40 | | | |
| DAC356180040 | 35 | 61.8 | 40 | 40 | 0.43 | E | |
| DAC35620031 | 35 | 62 | 31 | 31 | 0.35 | A | |
| DAC35620037 | 35 | 62 | 37 | 37 | | | |
| DAC35620040 | 35 | 62 | 40 | 40 | 0.45 | E | |
| DAC35640037 | 35 | 64 | 37 | 37 | 0.41 | B | Daihatsu |
| DAC35650035 | 35 | 65 | 35 | 35 | 0.4 | C | Kia Pride,Renault |
| DAC35650037 | 35 | 65 | 37 | 37 | 0.51 | C | Subaru |
| DAC35660032 | 35 | 66 | 32 | 32 | 0.42 | C | Citroen |
| DAC35660033 | 35 | 66 | 33 | 33 | 0.43 | C | Fiat,TIPO1.4 |
| DAC35660037 | 35 | 66 | 37 | 37 | 0.48 | C | VW. GOLF (88-85), JETTA |
| DAC35670042 | 35 | 67 | 42 | 42 | 0.45 | D | |


Double Row Angular Contact Ball Bearing




Seal Type A




Seal Type B




Seal Type C



Seal Type D





Seal Type E




Seal Type S

| Bearings No | Main Dimension (mm) | | | | Weight (kgs) | Seal | Compatible Vehicles |
|-----------------|---------------------|-------|------|----|--------------|------|-----------------------------|
| | d | D | B | C | | | |
| DA+B74:1109C356 | 35 | 65 | 37 | 37 | | C | Fiat,Lanciai¼eSeat,VOLV |
| DAC35680039/36 | 35 | 68 | 39 | 36 | | | |
| DAC 35680042 | 35 | 68 | 42 | 42 | | | |
| DAC35680045 | 35 | 68 | 45 | 45 | 0.52 | E | SKODA |
| DAC35680048 | 35 | 68 | 48 | 48 | | | |
| DAC35680233/30 | 35 | 68.02 | 33 | 30 | 0.47 | D | Nissan Micra K10 Micra |
| DAC 35720027 | 35 | 72 | 27 | 27 | 0.43 | 0.43 | CHERY QQ |
| DAC 35720033 | 34.99 | 72 | 33 | 33 | 0.58 | C | Citroen,Peugeot |
| DAC35720034 | 34.99 | 72 | 34 | | | A/D | LZW7100;Honda civic1.2SF |
| DAC35720045 | 34.99 | 72 | 45 | 45 | 0.63 | C | Toyota CORULLA |
| DAC35720228 | 35 | 72.02 | 28 | 28 | 0.49 | D | Citroen,Peugeot,Renault |
| DAC35720233/31 | 34.99 | 72.02 | 33 | | | D | Toyota TERCELAL20 1.3 |
| DAC 35720433 | 34.99 | 72.04 | 33 | 33 | 0.58 | C | Fiat,Lancia, TIPO1.6 |
| DAC 35720434 | 34.99 | 72.04 | 34 | 34 | 0.58 | A/D | HONDA, TIPO1.6 |
| DAC35740030 | 34.99 | 74 | 30 | 30 | 0.49 | C | |
| DAC35760054 | 34.99 | 76 | 54 | 54 | 0.95 | E | |
| DAC35770042 | 34.99 | 77 | 42 | 42 | 0.86 | D | Toyota SUPRA3.0T24V B6 |
| DAC35800026/21 | 34.99 | 80 | 26 | 21 | 0.86 | | |
| DAC 35800047 | 35 | 80 | 47 | 47 | | | |
| DAC36640042 | 36 | 64 | 42 | 42 | 0.46 | | |
| DAC36680033 | 36 | 68 | 33 | 33 | 0.47 | D | SUZUKI SWIFT1¼'89- |
| DAC36720033/28 | 36 | 72 | 33 | 28 | 0.46 | D | |
| DAC 36720034 | 36 | 72 | 34 | 34 | 0.57 | D | Chrysler |
| DAC 36720042 | 36 | 72 | 42 | 42 | 0.72 | | |
| DAC36720534 | 36 | 72.05 | 34 | 34 | 0.58 | D | |
| DAC36760029/27 | 36 | 76 | 29.2 | 27 | 0.55 | D | |
| DAC37680045 | 37 | 68 | 45 | 45 | 0.72 | B | |
| DAC37720033 | 37 | 72 | 33 | 33 | 0.5 | E | |
| DAC37720037 | 37 | 72 | 37 | | | C | Fiat,Ford,Lancia, Renaultl9 |
| DAC37720052/45 | 37 | 72 | 52 | 45 | 0.7 | D | |
| DAC37720233 | 37 | 72.02 | 33 | 33 | 0.5 | C | |
| DAC37720237 | 37 | 72.02 | 37 | 37 | 0.59 | C | Chrysler |
| DAC37720437 | 37 | 72.04 | 37 | 37 | 0.59 | C | Chrysler |
| DAC37720052/45 | 37 | 72 | 52 | 45 | 0.7 | | |
| DAC37740045 | 37 | 74 | 45 | 45 | 0.79 | C | BMW,OPEL,FORD |
| DAC3SI700037 | 38.1 | 70 | 37 | 37 | | E | Daihatsu CHARADE |


Double Row Angular Contact Ball Bearing




Seal Type A




Seal Type B




Seal Type C



Seal Type D





Seal Type E




Seal Type S

| Bearings No | Main Dimension (mm) | | | | Weight (kgs) | Seal | Compatible Vehicles |
|-----------------|---------------------|-------|----|----|--------------|------|------------------------------|
| | d | D | B | C | | | |
| DAC38640036/33 | 38 | 64 | 36 | 33 | 0.43 | | |
| DAC38650050 | 38 | 65 | 50 | 50 | 0.56 | | |
| DAC38650052/48 | 38 | 65 | 52 | 48 | 0.49 | | |
| DAC38680037 | 38 | 68 | 37 | 37 | 0.54 | | Chrysler |
| dac386939/34 | 38 | 69 | 39 | 34 | 0.48 | | |
| DAC38700037 | 38 | 70 | 37 | 37 | 0.56 | E | Daihatsu |
| DAC38700038 | 38 | 70 | 38 | 38 | 0.57 | B | HYUNDAI ATOS (02>), |
| DAC38700040 | 38 | 70 | 40 | 40 | 0.58 | C | |
| DAC38710033/30 | 38 | 71 | 33 | 30 | 0.5 | D | TOYOTA TERCEL (87- |
| DAC38710039 | 38 | 71 | 39 | 39 | 0.62 | C | TOYOTA YARIS 99- |
| DAC38710233/30 | 38 | 71.02 | 33 | 30 | 0.49 | D | |
| DAC38720034 | 38 | 72 | 34 | 34 | 0.54 | D | HONDA |
| DAC38720036/33 | 38 | 72 | 36 | 33 | 0.62 | | HONDA, TOYOTA |
| DAC38720040 | 38 | 72 | 40 | 40 | 0.63 | B | HONDA 44300-SB3-961/2 |
| DAC38720236/33 | 38 | 72.02 | 36 | | | D | HONDA, ROVER, |
| DAC38730040 | 38 | 73 | 40 | 40 | 0.67 | B | HONDA CIVIC (92-00), |
| DAC38740036/33 | 38 | 74 | 36 | 33 | 0.6 | | TOYOTA, NISSAN |
| DAC38740040 | 38 | 74 | 40 | 40 | 0.69 | B | 929 MAZDA 929 |
| DAC38740050 | 38 | 74 | 50 | 50 | 0.85 | A | NISSAN TSURU II (87- |
| DAC38740236/33 | 38 | 74.02 | 36 | 33 | 0.59 | D | Toyota |
| DAC38740450 | 38 | 74.04 | 50 | 50 | 0.85 | A | NISSAN, Chrysler |
| DAC38800036/33 | 38 | 80 | 36 | 33 | 0.79 | D | |
| DAC38170037 | 38.1 | 70 | 37 | 37 | 0.56 | | |
| DAC39/41750037 | | 75 | 37 | 37 | 0.62 | C | AUDI 80 1.6-2, PASSAT |
| DAC39680037 | 39 | 68 | 37 | | | B | FORD, AUDI, SANTANA, M |
| DAC39680637 | 39 | 68.06 | 37 | 37 | 0.48 | B | Volkswagen |
| DAC39680737 | 39 | 68.07 | 37 | 37 | 0.48 | B | Volkswagen 1/4 CEford, audi, |
| DAC39680837 | 39 | 68.08 | 37 | 37 | 0.48 | B | |
| DAC39720037 | 39 | 72 | 37 | 37 | 0.6 | B | FORD FIESTA (11-16), |
| DAC39720637 | 39 | 72.06 | 37 | 37 | 0.6 | B | BMW, OPEL, FORD, BEDF |
| DAC39740034 | 39 | 74 | 34 | 34 | 0.6 | B | |
| DAC39740036/34 | 39 | 74 | 36 | 34 | 0.6 | | KIA SPECTRA (04-09), |
| DAC39740038 | 39 | 74 | 38 | 38 | 0.65 | B | |
| DAC39740039 | 39 | 74 | 39 | 39 | 0.66 | C | OPEL, VAUXHALL |
| DAC401080032/17 | 40 | 108 | 32 | 17 | 1.04 | F | Renault 18 GTX |


Double Row Angular Contact Ball Bearing




Seal Type A




Seal Type B




Seal Type C



Seal Type D





Seal Type E




Seal Type S

| Bearings No | Main Dimension (mm) | | | | Weight (kgs) | Seal | Compatible Vehicles |
|----------------|---------------------|--------|------|------|--------------|------|--------------------------------------|
| | d | D | B | C | | | |
| DAC406S0037 | 40 | 68 | 37 | 37 | 0.62 | | |
| DAC40680042 | 40 | 68 | 42 | 42 | 0.51 | C | |
| DAC40700043 | 40 | 70 | 43 | 43 | 0.63 | | |
| DAC40720036 | 40 | 72 | 36 | 36 | 0.54 | | SUZUKI SWIFT (89-01), |
| DAC40720037 | 40 | 72 | 37 | 37 | 0.55 | C | |
| DAC40720637 | 40 | 72.06 | 37 | 37 | 0.55 | CG | |
| DAC40720836 | 40 | 72.08 | 36 | 36 | 0.5 | | |
| DAC40730055 | 40 | 73 | 55 | 55 | 0.58 | C | |
| DAC40740036 | 40 | 74 | 36 | 36 | 0.62 | E | NISSAN SENTRA (00-06), |
| DAC40740036/34 | 40 | 74 | 36 | 34 | 0.58 | D | |
| DAC40740040 | 40 | 74 | 40 | 40 | 0.66 | B | |
| DAC40740042 | 40 | 74 | 42 | 42 | 0.71 | E | TOYOTA COROLLA, FORD,VOLVO,MAZIDA |
| DAC40750037 | 40 | 75 | 37 | 37 | 0.62 | C | Chrysler,Rover,Volkswagen |
| DAC40760033/28 | 40 | 76 | 33 | 28 | 0.54 | A | HONDA 1/4CE Rover |
| DAC40760041/38 | 40 | 76 | 41 | 38 | 0.7 | E | Peugeot,Mitsubishi,Talbot,Si |
| DAC408000302 | 40 | 80 | 30.2 | 30.2 | 0.68 | D | Peugeot,Citroen 1/4CE Alfa |
| DAC40800031 | 40 | 80 | 31 | 31 | 0.65 | D | |
| DAC40800036 | 40 | 80 | 36 | 36 | 0.74 | B | |
| DAC40800036/34 | 40 | 80 | 36 | 34 | 0.74 | D | GM,Mitsubishi |
| DAC4080037 | 40 | 80 | 37 | 37 | | | |
| DAC408000381 | 40 | 80 | 38.1 | 38.1 | 0.8 | C | |
| DAC40800040 | 40 | 80 | 40 | 40 | 0.86 | | MITSUBISHI LANCER (02- |
| DAC40800045/44 | 40 | 80 | 45 | 44 | 0.89 | D | Mitsubish |
| DAC40820040 | 40 | 82 | 40 | 40 | 0.8 | A | |
| DAC40840032/17 | 40 | 108 | 32 | 17 | 1.04 | | |
| DAC40840034 | 40 | 84 | 34 | 34 | 0.94 | A | |
| DAC40840038 | 40 | 84 | 38 | 38 | 0.96 | B.D | |
| DAC40840040 | 40 | 84 | 40 | 40 | 0.98 | | Renault |
| DAC408402538 | 40 | 84.025 | 38 | 38 | 0.97 | C | Renault |
| DAC41680040/35 | 41 | 68 | 40 | 35 | 1.06 | D | SUZUKI JIMNY 4WD 98- |
| DAC42720038 | 42 | 72 | 38 | 38 | 0.56 | c | FORD PROBE (89-92), |
| DAC42720038/35 | 42 | 72 | 38 | 35 | 0.52 | C | SUBARU,Nissan |
| DAC42750037 | 42 | 75 | 37 | | | C | Alfa Romeo,Audi100- |
| DAC2760033 | 42 | 76 | 33 | 33 | 0.65 | E | DODGE NEON (01-00), PT- |


Double Row Angular Contact Ball Bearing




Seal Type A




Seal Type B




Seal Type C



Seal Type D





Seal Type E




Seal Type S

| Bearings No | Main Dimension (mm) | | | | Weight (kgs) | Seal | Compatible Vehicles |
|----------------|---------------------|-------|------|------|--------------|------|--------------------------|
| | d | D | B | C | | | |
| DAC42760037/35 | 42 | 76 | 37 | 35 | 0.56 | D | |
| DAC42760038 | 42 | 76 | 38 | 38 | 0.56 | | NISSAN MAXIMA (89-99), |
| DAC42760038/35 | 42 | 76 | 38 | 35 | 0.62 | D | Nissan |
| DAC42760039 | 42 | 76 | 39 | 39 | 0.62 | A | FORD COUGAR (89-96), |
| DAC42760040/37 | 42 | 76 | 40 | 37 | 0.64 | A | Chrysler |
| DAC42770039 | 42 | 77 | 39 | 39 | 0.65 | | |
| DAC42780038 | 42 | 78 | 38 | 38 | 0.7 | | Honda LEGEND 2.5i 24V |
| DAC42780040 | 42 | 78 | 40 | 40 | 0.66 | B | |
| DAC42780041/38 | 42 | 78 | 41 | | | | Honda CIVIC EE9,CRX |
| DAC427S0045 | 42 | 78 | 45 | | 0.76 | | FORD ESCAPE 4X2, 4X4 |
| DAC428000302 | 42 | 80 | 30.2 | 30.2 | 0.78 | | |
| DAC42800036/34 | 42 | 80 | 36 | 34 | 0.51 | E | HYUNDAI XG300, XG350, |
| DAC42800037 | 42 | 80 | 37 | 37 | 0.7 | E | Alfa Romeo |
| DAC42800038 | 42 | 80 | 38 | 38 | 0.75 | | NISSAN XTERRA, 4X2, |
| DAC42800042 | 42 | 80 | 42 | 42 | 0.81 | | VM Transporter Syncro4*4 |
| DAC42800045 | 42 | 80 | 45 | 45 | 0.86 | B | MAZDA |
| DAC42800045 | 42 | 80 | 42 | 45 | 0.86 | | FORD FUSION (06-12), |
| DAC42800342 | 42 | 80.03 | 42 | 42 | 0.82 | C | BMW, Chrys1er |
| DAC42820036 | 42 | 82 | 36 | | | C | Citroen |
| DAC42820037 | 42 | 82 | 37 | 37 | 0.79 | C | Audi |
| DAC42840036 | 42 | 84 | 36 | 36 | 0.84 | | Peugeot, Simca, Talbot |
| DAC42840037 | 42 | 84 | 37 | 37 | 0.91 | B | |
| DAC42840039 | 42 | 84 | 39 | 39 | 0.93 | F | Renault, Peugeot |
| DAC4284030039 | 42 | 84.03 | 39 | 39 | 0.93 | F | |
| DAC42840041 | 42 | 84 | 41 | 41 | | | |
| DAC43/45008537 | | 85 | 37 | 37 | 0.8 | D | |
| DAC43/45820037 | | 82 | 37 | 37 | 0.76 | BD | AUDI 1¼0EChrysler |
| DAC43600050/45 | 43 | 60 | 50 | 45 | 0.86 | E | |
| DAC43760043 | 43 | 76 | 43 | 43 | 0.71 | | NISSAN X-TRAIL (05-06), |
| DAC43770042 | 43 | 77 | 42 | 42 | | | |
| DAC43770042/38 | 43 | 77 | 42 | 38 | 0.64 | D | |
| DAC43790041/38 | 43 | 79 | 41 | 38 | 0.9 | E | Honda Civic Eg6/EH9 |
| DAC43790045 | 43 | 79 | 45 | 45 | 0.84 | | |
| DAC43800038 | 43 | 80 | 38 | 38 | 0.75 | E | |
| DAC43800040 | 43 | 80 | 40 | 40 | 1.15 | | DODGE |
| DAC43800050/45 | 43 | 80 | 50 | 45 | 0.96 | E | Audi200 |


Double Row Angular Contact Ball Bearing




Seal Type A




Seal Type B




Seal Type C



Seal Type D



Seal Type E



Seal Type S

| Bearings No | Main Dimension (mm) | | | | Weight (kgs) | Seal | Compatible Vehicles |
|----------------|---------------------|------|------|------|--------------|------|--------------------------|
| | d | D | B | C | | | |
| DAC43820037 | 43 | 82 | 37 | 37 | 0.76 | C | |
| DAC43520045 | 43 | 52 | 45 | 45 | 0.96 | E | TOYOTA CAMRY(92- |
| DAC43840044 | | 84 | 44 | 44 | 0.85 | | |
| DAC43850037 | 43 | 85 | 37 | 37 | 0.8 | | |
| DAC44825037 | 44 | 82.5 | 37 | 37 | 0.73 | E | Citroen.Peugeot |
| DAC44840042/40 | 44 | 84 | 42 | 40 | 0.9 | | Honda LEGEND 2.71 |
| DAC44850023 | 44 | 85 | 23 | 23 | 0.54 | A | |
| DAC45800045 | 45 | 50 | 45 | 45 | 0.5 | C | VW.EUROVAN (92-03), |
| DAC45800045/44 | 45 | 80 | 45 | 44 | 0.95 | D | |
| DAC45820037 | 45 | 82 | 45 | 37 | 0.76 | | VW.PASSAT 1.8L/2.8L (97- |
| DAC45830045 | 45 | 83 | 45 | 45 | 0.6 | | MAZDA |
| DAC45840039 | 45 | 84 | 39 | 39 | 0.85 | C | Citroen,Peugeot,CHRYSLER |
| DAC45840041/39 | 45 | 84 | 41 | 39 | 0.85 | | MITSUBISHI DIAMANTE, |
| DAC45840042 | 45 | 84 | 42 | 42 | 0.9 | B | HONDA CR-V (02-06), CR- |
| DAC45840042/40 | 45 | 84 | 42 | 42 | | | Mitsubish, |
| DAC45840045 | 45 | 84 | 45 | 45 | 0.98 | | TOYOTA CAMRY (04>), |
| DAC45840053 | 45 | 84 | 53 | 53 | 0.99 | | |
| DAC458500302 | 45 | 85 | 30.2 | 30.2 | 0.63 | A | |
| DAC45850023 | 45 | 85 | 23 | 23 | 0.54 | D | |
| DAC45850041 | 45 | 85 | 41 | 41 | 0.89 | C | FORDi¼CEBenZ |
| DAC45850048/43 | 45 | 85 | 48 | 43 | 1 | | BMW |
| DAC45850051 | 45 | 85 | 51 | 51 | 1 | B.F | FORD F-150 (05-08), |
| DAC45880039 | 45 | 88 | 39 | 39 | 0.9 | B | |
| DAC45880045 | 45 | 88 | 45 | 45 | 1.15 | D | |
| DAC47810053 | 47 | 81 | 53 | 53 | 0.95 | E | NISSAN QUEST (93-02), |
| DAC47850045 | 47 | 85 | 45 | 45 | 0.9 | | FORD EXPLORER (02-10), |
| DAC47880055 | 47 | 88 | 55 | 55 | 1.5 | | FORD |
| DAC47S80057.5 | 47 | 88 | 57.5 | 57.5 | 1.3 | | |
| DAC48820037/33 | 48 | 82 | 37 | 33 | 0.82 | B | |
| DAC48860042/40 | 48 | 86 | 42 | 40 | 0.87 | | |
| DAC48890042 | 48 | 89 | 42 | 42 | 0.91 | | HONDA ODISSEY (99-04), |
| DAC48890044/42 | 48 | 89 | 44 | 42 | 1.07 | | HONDA PILOT, RL 3.5, |
| DAC49840043 | 49 | 84 | 43 | 43 | 0.84 | C.E | |
| DAC49S40048 | 49 | 54 | 48 | 48 | 0.89 | C.E | Benz |
| DAC49840050 | 49 | 84 | 50 | 50 | 1 | | |

Официальный импортер VKE Group - Базовая техника

sales@baztehshop.ru

8 (812) 740-12-27

